

STANWAY PRIMARY SCHOOL POLICY



ALLERGY MANAGEMENT

Policy adopted by

The Resources Committee:

Summer 2023

Review Date:

Summer 2024

This Anaphylaxis UK model policy should be read and applied in conjunction with the DfE statutory guidance 'Supporting Pupils at School with Medical Conditions'.

Author /s	Lucy Frizzell
Review Frequency	Annually
Date approved by governors	29.06.2023
Date of next review	Summer 2023
Purpose	To minimise the risk of any pupil suffering a severe allergic reaction whilst at school or attending any school related activity. To ensure staff are properly prepared to recognise and manage severe allergic reactions should they arise.
Links with other policies	Supporting Pupils In School with a Medical Condition and Administering Medication Health, Safety and Wellbeing

Contents

1. Introduction
2. Roles and Responsibilities
3. Allergy Action Plans
4. Emergency treatment and management of anaphylaxis
5. Supply, storage and care of medication
6. 'Spare' adrenaline auto injectors in school
7. Staff Training
8. Inclusion and safeguarding
9. Catering
10. School Trips
11. Allergy Awareness
12. Risk Assessments
13. Useful Links

1. Introduction

An allergy is a reaction by the body's immune system to substances that are usually harmless. The reaction can cause minor symptoms such as itching, sneezing or rashes but sometimes causes a much more severe reaction called anaphylaxis.

Anaphylaxis is a severe systemic allergic reaction. It is at the extreme end of the allergic spectrum. The whole body is affected often within minutes of exposure to the allergen, but sometimes it can be hours later. Causes often include foods, insect stings, or drugs.

Definition: *Anaphylaxis is a severe life threatening generalised or systemic hypersensitivity reaction.*

This is characterised by rapidly developing life-threatening airway / breathing / circulatory problems usually associated with skin or mucosal changes.

It is possible to be allergic to anything which contains a protein, however most people will react to a fairly small group of potent allergens.

Common UK Allergens include (but not limited to):-

Peanuts, Tree Nuts, Sesame, Milk, Egg, Fish, Latex, Insect venom, Pollen and Animal Dander.

This policy sets out how Stanway Primary School will support pupils with allergies, to ensure they are safe and are not disadvantaged in any way whilst taking part in school life.

2. Role and Responsibilities

Parent responsibilities

- On entry to the school, it is the parent's responsibility to inform the school of any allergies. This information should include all previous severe allergic reactions, history of anaphylaxis and details of all prescribed medication.
- Parents are to supply a copy of their child's Allergy Action Plan ([BSACI plans](#) preferred) to school. If they do not currently have an Allergy Action Plan this should be developed as soon as possible in collaboration with a healthcare professional e.g. Schools nurse/GP/allergy specialist.
- Parents are responsible for ensuring any required medication is supplied, in date and replaced as necessary.
- Parents are requested to keep the school up to date with any changes in allergy management. The Allergy Action Plan will be kept updated accordingly.

Staff Responsibilities

- All staff will complete anaphylaxis training. Training is provided for all staff on a yearly basis and on an ad-hoc basis for any new members of staff.
- Staff must be aware of the pupils in their care (regular or cover classes) who have known allergies as an allergic reaction could occur at any time and not just at mealtimes. Any food-related activities must be supervised with due caution.
- Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. Pupils unable to produce their required medication will not be able to attend the excursion.
- The Admin Assistant will ensure that the up to date Allergy Action Plan is kept with the pupil's medication.
- It is the parent's responsibility to ensure all medication is in date however the Admin Assistant will check medication kept at school on a monthly basis and send a reminder to parents if medication is approaching expiry.
- The Admin Assistant keeps a register of pupils who have been prescribed an AAI and a record of use of any AAI(s) and emergency treatment given.

Pupil Responsibilities

- Pupils are encouraged to have a good awareness of their symptoms and to let an adult know as soon as they suspect they are having an allergic reaction.

3. Allergy Action Plans

Allergy action plans are designed to function as Individual Healthcare Plans for children with food allergies, providing medical and parental consent for schools to administer medicines in the event of an allergic reaction, including consent to administer a spare adrenaline autoinjector.

Stanway Primary School recommends using the British Society of Allergy and Clinical Immunology ([BSACI Allergy Action Plan](#)) to ensure continuity. This is a national plan that has been agreed by the BSACI, the Anaphylaxis Campaign and Allergy UK.

It is the parent/carer's responsibility to complete the allergy action plan with help from a healthcare professional (e.g. GP/School Nurse/Allergy Specialist) and provide this to the school.

4. Emergency Treatment and Management of Anaphylaxis

What to look for:

- swelling of the mouth or throat
- difficulty swallowing or speaking
- difficulty breathing
- sudden collapse / unconsciousness
- hives, rash anywhere on the body
- abdominal pain, nausea, vomiting
- sudden feeling of weakness
- strong feelings of impending doom

Anaphylaxis is likely if all of the following 3 things happen:

- **sudden onset** (a reaction can start within minutes) and **rapid progression of symptoms**
- **life threatening airway and/or breathing difficulties** and/or **circulation problems** (e.g. alteration in heart rate, sudden drop in blood pressure, feeling of weakness)
- **changes to the skin** e.g. flushing, urticaria (an itchy, red, swollen skin eruption showing markings like nettle rash or hives), angioedema (swelling or puffing of the deeper layers of skin and/or soft tissues, often lips, mouth, face etc.) Note: skin changes on their own are not a sign of an anaphylactic reaction, and in some cases don't occur at all

If the pupil has been **exposed to something they are known to be allergic to**, then it is more likely to be an anaphylactic reaction.

Anaphylaxis can develop very rapidly, so a treatment is needed that works rapidly.

Adrenaline is the mainstay of treatment and it starts to work within seconds. Adrenaline should be administered by an **injection into the muscle** (intramuscular injection)

What does adrenaline do?

- It opens up the airways
- It stops swelling
- It raises the blood pressure

Adrenaline must be administered with the **minimum of delay** as it is more effective in preventing an allergic reaction from progressing to anaphylaxis than in reversing it once the symptoms have become severe.

ACTION:

- Stay with the child and call for help. **DO NOT MOVE CHILD OR LEAVE UNATTENDED**
- Remove trigger if possible (e.g. Insect stinger)
- Lie child flat (with or without legs elevated) – A sitting position may make breathing easier
- **USE ADRENALINE WITHOUT DELAY** and note time given. (inject at upper, outer thigh - through clothing if necessary)
- CALL **999** and state **ANAPHYLAXIS**
- If no improvement after 5 minutes, administer second adrenaline auto-injector
- If no signs of life commence CPR
- Phone parent/carer as soon as possible

All pupils must go to hospital for observation after anaphylaxis even if they appear to have recovered as a reaction can reoccur after treatment.

5. Supply, storage and care of medication

For younger children (primary school age) or those assessed as not ready to take responsibility for their own medication there should be an anaphylaxis kit which is kept safely, not locked away and **accessible to all staff**.

Medication should be stored in a rigid box and clearly labelled with the pupil's name and a photograph.

- The pupil's medication storage box should contain:
- adrenaline injectors i.e. EpiPen® or Jext® (two of the same type being prescribed)
- an up-to-date allergy action plan
- antihistamine as tablets or syrup (if included on plan)
- spoon if required
- asthma inhaler (if included on plan).

It is the responsibility of the child's parents to ensure that the anaphylaxis kit is up-to-date and clearly labelled, however the Admin Assistant will check medication kept at school on a monthly basis and send a reminder to parents if medication is approaching expiry.

Parents can subscribe to expiry alerts for the relevant adrenaline auto-injectors their child is prescribed, to make sure they can get replacement devices in good time.

Older children and medication

Older children and teenagers should, whenever possible, assume complete responsibility for their emergency kit under the responsibility of their parents.

However, symptoms of anaphylaxis can come on **very suddenly**, so school staff need to be prepared to administer medication if the young person cannot.

Storage

AAIs should be stored at room temperature, protected from direct sunlight and temperature extremes.

Disposal

AAIs are single use only and must be disposed of as sharps. Used AAIs should be given to ambulance paramedics on arrival.

6. 'Spare' adrenaline auto injectors in school

Stanway Primary School has purchased spare adrenaline auto-injector (AAI) devices for emergency use in children who are at risk of anaphylaxis, but their own devices are not available or not working (e.g. because they are out of date).

These are stored in a rigid box, clearly labelled 'Emergency Anaphylaxis Adrenaline Pen', kept safely, not locked away and accessible and known to all staff.

Stanway Primary School holds FOUR spare pens (2 x EpiPen® and 2 x Jext®) which are kept in the school office

The Admin Assistant is responsible for checking the spare medication is in date on a monthly basis and to replace as needed.

Written parental permission for use of the spare AAIs is included in the pupil's Allergy Action Plan.

If anaphylaxis is suspected **in an undiagnosed individual** call the emergency services and state you suspect ANAPHYLAXIS. Follow advice from them as to whether administration of the spare AAI is appropriate.

7. Staff Training

The School Business Manager is responsible for coordinating all staff anaphylaxis training and the upkeep of the school's anaphylaxis policy.

All staff will complete online anaphylaxis awareness training at the start of every new academic year. Training is also available on an ad-hoc basis for any new members of staff.

Training includes:

- Knowing the common allergens and triggers of allergy
- Spotting the signs and symptoms of an allergic reaction and anaphylaxis. Early recognition of symptoms is key, including knowing when to call for emergency services
- Administering emergency treatment (including AAIs) in the event of anaphylaxis – knowing how and when to administer the medication/device
- Measures to reduce the risk of a child having an allergic reaction e.g. allergen avoidance Knowing who is responsible for what
- Associated conditions e.g. asthma
- Managing allergy action plans and ensuring these are up to date
- A practical session using trainer devices (these can be obtained from the manufacturers' websites www.epipen.co.uk and www.jext.co.uk)

8. Inclusion and safeguarding

Stanway Primary School is committed to ensuring that all children with medical conditions, including allergies, in terms of both physical and mental health, are properly supported in school so that they can play a full and active role in school life, remain healthy and achieve their academic potential.

9. Catering

All food businesses (including school caterers) must follow the Food Information Regulations 2014 which states that allergen information relating to the 'Top 14' allergens must be available for all food products.

The school menu is available for parents to view half-termly in advance with all allergens highlighted on the school website at www.stanway-pri.essex.sch.uk

The school also publishes allergen information for all food served at Breakfast and After School Club on the website.

Parents are responsible for checking the menu for allergens and, where appropriate, annotating their child's menu where food is to be avoided.

Parents/carers are encouraged to meet with the Catering Manager to discuss their child's needs.

The following procedures are in place to ensure that catering staff can accurately identify, and serve, pupils with allergies.

- Pupil Medical Cards are produced for all children with food allergies. These cards include a photograph of the child. Copies are held by the breakfast/after school club teams, and the midday assistants/catering team. Copies of the cards are also held in the staffroom.
- Each day the Office Team highlights the names of all children with a food allergy on the dinner registers. This should be done by 9:45am. The Catering Manager then double checks this information.
- Each day the Catering Manager cross references the meals chosen against the allergen information held for individual children. Where there is any uncertainty about a particular dish or food, the school will telephone the parents for clarification.
- Each day the Catering Manager annotates the dinner registers accordingly. The Assistant Cook double checks this information and signs to confirm this action. As the Midday Assistant checks the children off, children with food allergies are identified and escorted to the member of staff serving dinner, so as to ensure the correct meal is served.
- Where the child is having a school packed lunch, this is prepared in advance of service and clearly labelled with the child's name and class. The contents of the lunch are checked by two members of staff and the dinner register is initialled by both staff to confirm this has been done.
- The member of staff serving the main meal is responsible for serving the children who have a food allergy. Two members of the Catering Team (e.g. the Catering Assistant and the Catering Manager) check the information on the dinner register and ensure the correct meal/food is served. They then both initial the dinner register to confirm this.

- For children with a severe allergy the Health Care Plan may include the requirement that the table is cleaned with an approved solution immediately before they sit down for dinner. Place mats may also be used to identify the child's place at the table.
- Children are not permitted to share food

For other food served during the day, e.g. at Breakfast/After School Club or snack time, staff will follow procedures by identifying those children with food allergies and ensuring they do not consume foods to which they are allergic.

The school adheres to the following [Department of Health guidance](#) recommendations:

- Bottles, other drinks and lunch boxes provided by parents for pupils with food allergies should be clearly labelled with the name of the child for whom they are intended.
- If food is purchased from the school canteen/tuck shop, parents should check the appropriateness of foods by speaking directly to the catering manager.
- The pupil should be taught to also check with catering staff, before purchasing food or selecting their lunch choice.
- Where food is provided by the school, staff should be educated about how to read labels for food allergens and instructed about measures to prevent cross contamination during the handling, preparation and serving of food. Examples include: preparing food for children with food allergies first; careful cleaning (using warm soapy water) of food preparation areas and utensils. For further information, parents/carers are encouraged to liaise with the Catering Manager.
- Food should not be given to primary school age food-allergic children without parental engagement and permission (e.g. birthday parties, food treats). *(Stanway Primary school is not able to accept cakes, biscuits, or other similar foods into school for distribution to children. Should parents wish to send 'treats' in for sharing (e.g. for a child's birthday), these should be in small, sealed packets (e.g. mini sweet bags). The children are not permitted to open or eat these in school, they will be sent home for consumption)*
- Foods containing nuts are discouraged from being brought in to school.
- Use of food in crafts, cooking classes, science experiments and special events (e.g. fetes, assemblies, cultural events) needs to be considered and may need to be restricted/risk assessed depending on the allergies of particular children and their age. *(At Stanway Primary School, where cooking and food tasting activities are taking place in class, the class teachers will, as part of their lesson planning, identify any children with food allergies and manage the lesson appropriately. Where there is any uncertainty about a particular dish or food, the school will telephone the parents for clarification).*

10. School trips

Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. Pupils unable to produce their required medication will not be able to attend the excursion.

All the activities on the school trip will be risk assessed to see if they pose a threat to allergic pupils and alternative activities planned to ensure inclusion.

Overnight school trips may be possible with careful planning and a meeting for parents with the lead member of staff planning the trip should be arranged. Staff at the venue for an overnight school trip should be briefed early on that an allergic child is attending and will need appropriate food (if provided by the venue).

Sporting Excursions

Allergic children should have every opportunity to attend sports trips to other schools. The school will ensure that the P.E. teacher/s are fully aware of the situation. The school being visited will be notified that a member of the team has an allergy when arranging the fixture. A member of staff trained in administering adrenaline will accompany the team. If another school feels that they are not equipped to cater for any food-allergic child, the school will arrange for the child to take alternative/their own food.

Most parents are keen that their children should be included in the full life of the school where possible, and the school will need their co-operation with any special arrangements required.

11. Allergy awareness

Stanway Primary School supports the approach advocated by The Anaphylaxis Campaign and Allergy UK towards nut bans/nut free schools. They would not necessarily support a blanket ban on any particular allergen in any establishment, including in schools. This is because nuts are only one of many allergens that could affect pupils, and no school could guarantee a truly allergen free environment for a child living with food allergy. They advocate instead for schools to adopt a culture of allergy awareness and education.

A 'whole school awareness of allergies' is a much better approach, as it ensures teachers, pupils and all other staff aware of what allergies are, the importance of avoiding the pupils' allergens, the signs & symptoms, how to deal with allergic reactions and to ensure policies and procedures are in place to minimise risk.

12. Risk Assessment

Stanway Primary School will conduct a detailed risk assessment to help identify any gaps in our systems and processes for keeping allergic children safe for all new joining pupils with allergies and any pupils newly diagnosed.

13. Useful Links

Anaphylaxis Campaign- <https://www.anaphylaxis.org.uk>

- AllergyWise training for schools -

<https://www.anaphylaxis.org.uk/informationtraining/allergywise-training/for-schools/>

- AllergyWise training for Healthcare Professionals

<https://www.anaphylaxis.org.uk/information-training/allergywise-training/forhealthcare-professionals/>

Allergy UK - <https://www.allergyuk.org>

• Whole school allergy and awareness management (Allergy UK)
<https://www.allergyuk.org/schools/whole-school-allergy-awarenessandmanagement>

Spare Pens in Schools - <http://www.sparepensinschools.uk>

Official guidance relating to supporting pupils with medical needs in schools:
<http://medicalconditionsatschool.org.uk/documents/Legal-Situation-in-Schools.pdf>

Education for Health <http://www.educationforhealth.org>

Food allergy quality standards (The National Institute for Health and Care Excellence, March 2016) <https://www.nice.org.uk/guidance/qs118>

Anaphylaxis: assessment and referral after emergency treatment (The National Institute for Health and Care Excellence, 2020)
<https://www.nice.org.uk/guidance/cg134?unlid=22904150420167115834>

Guidance on the use of adrenaline auto-injectors in schools (Department of Health, 2017)
https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/645476/Adrenaline_auto_injectors_in_schools.pdf